


# Dr. Bob's Notes for Week 2

## 1.1 Dealing with Kepler's 3<sup>rd</sup> Law: $P^2 = a^3$

Kepler's three laws of planetary motion deal with objects that orbit the Sun in elliptical orbits. Kepler's third law deals with the relationship between the average orbital distance  $a$  from the Sun (in astronomical units  $AU$ ) and the period of time needed for one orbit (in years).

## Elliptical Orbit



Two types of problems arise that require the use of the third law:

Given the average distance  $a$ , Calculate the time for one orbit  $P$

Given the time for one orbit  $P$ , Calculate the average distance  $a$ .

Let's take a look at some examples below...

### 1.1.1 Finding the Period $P$

#### Example

How much time does it take an spacecraft to orbit the Sun if its average distance from the Sun is 8.00  $AU$ ?

$$\begin{aligned}P^2 &= a^3 \\P^2 &= (8.00)^3 \\P^2 &= 512 \\P &= \sqrt{512} \\P &= 22.6 \text{ years}\end{aligned}$$

#### Example

How much time does it take an comet to orbit the Sun if its closest distance from the Sun is 0.38  $AU$  and its greatest distance from the Sun is 7.44  $AU$ ?

First find  $a$  (the average distance)

$$\begin{aligned}a &= \frac{d_1 + d_2}{2} \\a &= \frac{0.38 + 7.44}{2} \\a &= \frac{7.82}{2} \\a &= 3.91 \text{ AU}\end{aligned}$$

Second find  $P$

$$\begin{aligned}P^2 &= a^3 \\P^2 &= (3.91)^3 \\P^2 &= 59.77\dots \\P &= \sqrt{59.77\dots} \\P &= 7.73 \text{ years}\end{aligned}$$

### 1.1.2 Finding the average distance $a$

Example

Bob's asteroid takes 12.0 years to orbit the Sun. What is the average distance of Bob's asteroid?

$$\begin{aligned}P^2 &= a^3 \\a^3 &= P^2 \\a^3 &= (12.0)^2 \\a^3 &= 144 \\a &= \sqrt[3]{144} = (144)^{\frac{1}{3}} \\a &= 5.24 \text{ AU}\end{aligned}$$

## 1.2 Escape Velocity

### Example

At what speed must a rocket be moving to escape a comet that has a mass of  $3.000 \times 10^{20} \text{ kg}$  and a radius of  $15.00 \text{ km}$ ?

$$V_{\text{escape}} = \sqrt{\frac{2GM}{R}}$$

$$V_{\text{escape}} = \sqrt{\frac{2(6.673 \times 10^{-11})(3.000 \times 10^{20})}{15,000}}$$

$$V_{\text{escape}} = \sqrt{\frac{4.0038 \times 10^{10}}{15,000}}$$

$$V_{\text{escape}} = \sqrt{2,669,199.99 \dots}$$

$$V_{\text{escape}} = 1,633.76 \dots$$

$$V_{\text{escape}} = 1,634 \text{ m/s}$$

Notice that we *had* to convert the radius from kilometers to meters ( $15 \text{ km} = 15,000 \text{ m}$ ) to get the correct answer using this formula. To get a feeling for how fast  $1634 \text{ m/s}$  is you could compare it to the speed of sound ( $330 \text{ m/s}$ ) or multiply by 2.2 to get MPH. So the escape velocity is  $1634 \text{ m/s}$  which is around Mach 5 or around 3595 MPH. We will not be using MPH or the Mach number for homework or exams... I merely show it here to give something to compare to.